












three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot
one sixteenth inch = one foot



- ### PLAN GENERAL NOTES
1. ALL PARTITIONS THAT MEET EXTERIOR WALLS @ WINDOWS ARE TO BE CENTERED ON WINDOW MULLIONS UNO.
 2. NOT USED.
 3. FURNITURE AND EQUIPMENT MAY BE SHOWN FOR COORDINATION PURPOSES ONLY AND IS LABELED 'NOC'. SEE EQUIPMENT/FURNITURE PLAN.
 4. ALL BATHROOM FIXTURES ARE TO BE INSTALLED TO MEET OR EXCEED MINIMUM STANDARDS, AND TO BE PROVIDED WITH COMPLIANT ACCESSORIES AT APPROPRIATE MOUNTING HEIGHTS PER CODES CITED ON COVER SHEET.
 5. PROVIDE ALL BLOCKING FOR UPPER AND LOWER CABINETS, ACCESSORIES, WHICH INCLUDE BUT ARE NOT LIMITED TO: HAND GUARD RAIL, CRASH RAIL, GRAB BARS, AND TELEVISIONS.
 6. MINIMUM SPACE REQUIREMENTS PROVIDED FOR ENCLOSED PLUMBING FIXTURE SUPPORTS. SEE DIMENSION PLAN.
 7. LAMINATE INTERIOR OF EXTERIOR WALLS WITH NEW 5/8" GWB.
 8. SEE ROOM FINISH SCHEDULE FOR ALL ROOM ACCESSORIES.
 9. ALL EXISTING EXPOSED STEEL COLUMNS TO HAVE SPRAY-APPLIED FIREPROOFING TO ACHIEVE 2-HR FIRE RATED, ALL EXISTING EXTERIOR WALL AND NEW TYP. STL. COLUMNS TO BE ENCLOSED WITH GWB TO ACHIEVE 2-HR FIRE RATINGS OR RECEIVE SPRAY-ON FIREPROOFING-SEE DETAILS.
 10. ALL NON-ISOLATED WORK ON FLOORS OTHER THAN FOURTH FLOOR TO BE COMPLETED AFTER BUSINESS HOURS AND/OR ESTABLISHED BY VA COTR.
 11. ALL SLAB PENETRATIONS MUST BE V-RAYED FOR EXISTING REINFORCEMENT IDENTIFICATION PRIOR TO CORE DRILL AND REVIEWED BY STRUCTURAL ENGINEER.
 12. ALL SECTION/ PLAN DETAILS MARKED AND LOCATED IN TYPICAL PATIENT ROOMS - TYPES 'A', 'B', 'C', 'D' & 'E' ARE STANDARD FOR ALL PATIENT ROOM TYPES.
 13. ROOM SIGNAGE IS REQUIRED AT EACH ROOM PER SPECIFICATIONS. INCLUDE GINGKO DESIGN SHOWN IN DETAIL XX SHEET A-30X. PROVIDE SUBMITTAL FOR REVIEW.

- ### PLAN SYMBOL LEGEND
- ✓ COATHOOK- SEE FINISH LEGEND
 - ⊕ FLOOR DRAIN- CENTER IN ROOM U.N.O./ SEE PLUMBING
 - ┌ CORNER GUARD- WP3 IN 4E WING, WP6 IN ELEVATOR 4A-001, C4A-001 AND C4A-002
 - └ CORNER GUARD - WP7 IN 4E WING.
 - HAND/ CRASH RAIL, CONTINUOUS, AS SHOWN IN PLAN & ELEV./ FINISH LEGEND. WP1/2 IN 4E WING, WP3/4 IN ELEVATOR 4A-001, C4A-001 AND C4A-002
 - △ FIRE EXTINGUISHER CABINET- FULLY RECESSED
 - WALL TYPE
 - XX DOOR TAG- SEE DOOR SCHEDULE
 - XX WINDOW TAG
 - ~~~~~ CEILING MOUNTED PRIVACY CURTAIN PER FINISH SPECIFICATIONS
 - NOC NURSE CALL- PULL STATIONS IN TOILET AND WASH ROOMS. CALL BOXES AT PATIENT HEADWALLS. INDICATOR LIGHTS ABOVE DOORS, AND CONTROL STATIONS AT NURSES STATIONS. ALSO SEE ELECTRICAL. PROVIDE RAULAND RESPONDER 5 SYSTEM- HOSPITAL STANDARD- SEE SPECIFICATION.

- ### ENLARGED PLAN KEY NOTES
1. 12" EDUCATION LCD TV BY PDI - HOSPITAL STANDARD/ REINFORCING PLATE (PDI-255E) + WALL BRACKET (PDI-179CP) + SWING ARM (PDI-508-12-20) MANUFACTURED BY PDIARM.COM
 2. 10" 30" PLASMA SCREEN W/ MOUNTING BRACKET AND REINFORCING PLATE
 3. PATIENT ROOM SIGN- RECESSED LED BACKLIT ACRYLIC/ LOW VOLTAGE HARDWIRED/ TYPICAL ALL PAT. ROOMS/ SEE INTERIOR DETAIL 06A-208
 4. RECESSED DIALYSIS BOX/ SEE PLUMBING
 5. MOTORIZED SHADE BY LUTRON (TYP. ALL PATIENT ROOM WINDOWS)- SEE ELECTRICAL
 6. PERSONAL PROTECTION DISPENSING UNIT BY SAGE PRODUCTS INC. (SAGEPRODUCTS.COM) WALL MOUNTED ITEM #8565

| WALL SCHEDULE | | SEE PARTITION TYPES ON SHEET A-502 |
|--|-------------------------------------|------------------------------------|
| EXISTING | SMOKE BARRIER (1-HR)- TYPE 'E1' UNO | |
| NEW- TYPE 'C1' UNO | FIRE RATED (1-HR)- TYPE 'G1' UNO | |
| NEW PARTIAL HEIGHT- TYPE 'C1' UNO/ SEE ELEVATIONS FOR HEIGHT | FIRE RATED (2-HR)- TYPE 'H1' UNO | |
| SMOKE PARTITION- TYPE 'D1' UNO | SHAFTWALL (2-HR)- TYPE 'J' UNO | |

| | |
|--|------------|
| CONSTRUCTION DOCUMENTS 100% SUBMITTAL- FOR BID | 06/13/2012 |
| CONSTRUCTION DOCUMENTS 100% SUBMITTAL | 06/22/2011 |
| CONSTRUCTION DOCUMENTS 95% SUBMITTAL | 02/01/2011 |
| DESIGN DEVELOPMENT 50% SUBMITTAL | 06/21/2010 |
| SCHEMATIC DESIGN 15% SUBMITTAL | 05/03/2010 |
| Revisions: | Date |

| CONSULTANTS: | |
|---|---|
| MEP DAVID WRIGHT CCRD PARTNERS 3311 W. BROAD ST. RICHMOND, VA 23220 (804) 355-2067 | STRUCTURAL JOHN HANCOCK RHINO FIRE PROT. ENG. PLC 4198 COX RD., SUITE #110 GLEN ALLEN, VA 23060 (804) 346-3935 |
| LIFE SAFETY FERNANDO ESCALANTE 12359 SUNRISE VALLEY DR. SUITE #350 RESTON, VA 20191 (703) 476-5034 | |

| | |
|-------|----------------------|
| SEAL: | ARCHITECT/ENGINEERS: |
| | |

| |
|---------------------|
| CA PROJECT 00938.02 |
|---------------------|

| |
|---|
| Drawing Title |
| INTERIOR ELEVATIONS - PATIENT ROOM C |
| Approved: Project Director |

| |
|--|
| Project Title |
| VA MEDICAL CENTER 4E PATIENT WARD EXPANSION |
| Location |
| WASHINGTON DC |
| Date |
| 04/20/2010 |
| Checked |
| RKM |
| Drawn |
| CMH/LRC/ ANP/ERQ/EAR |

| |
|---------------------------------------|
| Project Number |
| 688-336 |
| Building Number |
| E |
| Drawing Number |
| A-211 |
| Office of Facilities Management |
| Department of Veterans Affairs |